


Available online at www.sciencedirect.com



Aquaculture

Aquaculture 249 (2005) 551-553

www.elsevier.com/locate/aqua-online

Contents of Aquaculture, Volume 249

VOL. 249 NOS. 1-4	12 September	2005
Letter to the Editor		
E. Hadas (Israel).	**********	1
Review Article		
t-Carnitine and its attributed functions in fish culture and nutrition-a review		
S. Harpaz (Bet Dagan, Israel).		3
Diseases		
A histopathological survey of some commercially exploited bivalve molluses in northern Patagonia, Argentina		
F. Cremonte (Chubut, Argentina), A. Figueras (Vigo, Spain) and E.M. Burreson (Gloucester Point, Virginia,	USA)	23
Mass cultivation of marine fish Chinook salmon embryo cells in bioreactor with low-serum medium		
J. Chen, X. Sun, L. Zhang, X. Yi and Y. Zhang (Shanghai, China)		35
Cloning and characterization of prion protein coding genes of Japanese seabass (Lateolabrax japonicus) ar (Paralichthys olivaceus)	id Japanese flounder	
M. Liao, Z. Zhang, G. Yang, X. Sun (Qingdao, Republic of China), G. Zou, Q. Wei and D. Wang (Qin	gdao, Jingzhou,	
Republic of China)		47
Efficiency of Chlorella sp. and Tilapia hornorum in controlling the growth of luminous bacteria in a simu environment	alated shrimp culture	
	**********	55
Development and characterization of a continuous embryonic cell line from turbot (Scophthalmus maximus)		
SL. Chen, GC. Ren, ZX. Sha (Qingdao, China) and Y. Hong (Kent Ridge Crescent, Singapore)	* * * * * * * * * * * * * *	63
Improvement of PCR method for the detection of monodon baculovirus (MBV) in penaeid shrimp		
W. Surachetpong, B.T. Poulos, K.F.J. Tang and D.V. Lightner (Tucson, AZ, USA)		
Immune response of freshwater fish, guppy, Poicelia reticulata and gouramy, Trichogaster trichopterus to recom Epinephelus tauvina nervous necrosis virus	binant coat protein of	
A. Hegde (Proteos, Singapore), T.J. Lam (Kent Ridge Crescent, Singapore) and Y.M. Sin (Selatar West Farr	nway, Singapore)	. 77
Parasite populations of the European eel (Anguilla anguilla L.) in the Rivers Ulla and Tea (Galicia, northwest S		
A. Aguilar, M.F. Álvarez, J.M. Leiro and M.L. Sanmartín (Santiago de Compostela, Spain).	*******	85
Genetics		
Marker-based estimation of heritability for body color variation in Japanese flounder Paralichthys olivaceus		
T. Shikano (Windsor, Ontario, Canada)		95
Polymorphic EST-SSR markers and their mode of inheritance in Fenneropenaeus chinensis		
H. Wang, F. Li and J. Xiang (Qingdao, China)		107
Heritability of cold tolerance in Nile tilapia, Oreochromis niloticus, juveniles		
H. Charo-Karisa (Wageningen, The Netherlands; Abou Hammad, Egypt), M.A. Rezk (Abou Hammad, Egypt)		
and H. Komen (Wageningen, The Netherlands)		. 115

Underday and Management	
Husbandry and Management Optimised effluent treatment by stabilised trout faeces	
A. Brinker (Langenargen, Konstanz, Germany), W. Koppe (Stavanger, Norway) and R. Rösch (Langenargen, Germany)	125
The influence of marine cages on the sediment chemistry in the Western Mediterranean Sea S. Porrello, P. Tomassetti, L. Manzueto, M.G. Finoia, E. Persia, I. Mercatali (Roma, Italy) and P. Stipa (Ansedonia (GR), Italy).	145
Site-specific environmental quality criteria for survival and growth of farmed abalone exposed to zinc CM. Liao and B. Yun-Hua Chou (Taiwan, Republic of China)	159
Muscle cellularity and flesh quality of wild and farmed sea bass, Dicentrarchus labrax L. Mª.J. Periago, Mª.D. Ayala, O. López-Albors, I. Abdel, C. Martínez, A. García-Alcázar, G. Ros and F. Gil	
(Pto.de Mazarrón, Spain)	175
M. Real, I.P. Martínez and R. Álvarez (León, Spain). Growth and whole body composition of lake trout (Salvelinus namaycush), brook trout (Salvelinus fontinalis) and their hybrid, F ₁ splake (Salvelinus namaycush × Salvelinus fontinalis), from first-feeding to 16 weeks post first-feeding.	189
S.J. Gunther, R.D. Moccia and D.P. Bureau (Guelph, Ontario, Canada)	195
HH. Gwo, TS. Weng (Yunlin, Taiwan), LS. Fan and YH. Lee (Pingtung, Taiwan)	205
Relative importance of family, site, and field placement timing on survival, growth, and yield of hatchery-produced Pacific oyster spat (Crassostrea gigas)	
L. Dégremont (La Tremblade, France), E. Bédier (La Tremblade, La Trinité, France), P. Soletchnik (La Tremblade, France), M. Ropert (Port en Bessin, France), A. Huvet, J. Moal, JF. Samain (Plouzané, France) and P. Boudry (La Tremblade, France). Advances in rearing cobia Rachycentron canadum larvae in recirculating aquaculture systems: Live prey enrichment and greenwater	213
culture C.K. Faulk and G.J. Holt (Port Aransas, TX, United States)	231
Combined effects of temperature and body weight on growth and protein utilization of the common octopus, <i>Octopus vulgaris</i> H. Miliou, M. Fintikaki, T. Kountouris and G. Verriopoulos (Athens, Greece).	
Influence of temperature on larval development of Pacific brown shrimp Farfantepenaeus californiensis	245
H. Villarreal and A. Hernandez-Llamas (La Paz, B.C.S., México)	257
Effect of mussel density and size on the morphology of blue mussels (Mytilus edulis) grown in suspended culture in Prince Edward Island, Canada	2/1
JS. Lauzon-Guay, D.J. Hamilton and M.A. Barbeau (Fredericton, New Brunswick, Canada). Effect of stocking density on survival and growth of critically endangered mahseer, Tor putitora (Hamilton), in nursery ponds	265
M.A. Rahman, M.A. Mazid, M.R. Rahman, M.N. Khan, M.A. Hossain and M.G. Hussain (Mymensingh, Bangladesh)	275
W. Yanbo, X. Zirong, Z. Xuxia and X. Meisheng (Zhejiang Province, China).	285
Performance of juvenile steelhead trout (Oncorhynchus mykiss) produced from untreated and cryopreserved milt M.C. Hayes, S.P. Rubin, J.E. Hensleigh, R.R. Reisenbichler and L.A. Wetzel (Seattle, WA, United States).	291
Changes in some morphometric relationships in Atlantic bluefin tuna (<i>Thunnus thynnus thynnus</i> Linnaeus, 1758) as a result of fattening process	271
F. Aguado-Giménez and B. García-García (Murcia, Spain)	303
A. Israel, J. Gavrieli, A. Glazer and M. Friedlander (Haifa, Israel).	311
Spatial and temporal variation in larval settlement of reefbuilding corals in mariculture D. Petersen (AM Rotterdam, The Netherlands; Essen, Germany), M. Laterveer (AM Rotterdam, The Netherlands)	311
and H. Schuhmacher (Essen, Germany).	317
Nutrition	
Comparative utilization of rendered animal derived products with or without composite mixture of soybean meal in hybrid tilapia (Oreochromis niloticus × Oreochromis mossambicus) diets	
E.A. Fasakin (Akure, Nigeria), R.D. Serwata and S.J. Davies (Plymouth, UK). Development of an optimal microalgal diet for the culture of the calanoid copepod <i>Acartia sinjiensis</i> : Effect of algal species and feed concentration on copepod development	329
R.M. Knuckey, G.L. Semmens (Cairns, Queensland, Australia), R.J. Mayer (Townsville, Queensland, Australia) and M.A. Rimmer (Cairns, Queensland, Australia).	339
The effect of graded concentrations of dietary DHA on growth, survival and tissue fatty acid profile of Senegal sole (Solea senegalensis) larvae during the Artemia feeding period	
M. Villalta, A. Estévez (Tarragona, Spain), M.P. Bransden (Hobart, Tasmania, Australia) and J.G. Bell (Scotland, UK)	353

Dietary bovine lactoferrin enhances tolerance to high temperature stress in Japanese flounder <i>Paralichthys olivaceus</i> S. Yokoyama, S. Koshio (Kagoshima, Japan), N. Takakura, K. Oshida (Kanagawa, Japan), M. Ishikawa, F.J. Gallardo-Cigarroa	
and Si. Teshima (Kagoshima, Japan). Larval development and metamorphosis in the sea urchin Loxechimus albus (Echinodermata: Echinoidea): Effects of diet type and	367
feeding frequency	
P.F. Cárcamo, A.I. Candia (Puerto Montt, Chile) and O.R. Chaparro (Valdivia, Chile). Effect of fish meal replacement by plant protein sources on non-specific defence mechanisms and oxidative stress in gilthead sea bream (Sparus aurata)	375
A. Sitjá-Bobadilla, S. Peña-Llopis, P. Gómez-Requení (Castellón, Spain), F. Médale, S. Kaushik (St-Pée-sur-Nivelle, France) and J. Pérez-Sánchez (Castellón, Spain)	387
Growth, feed utilization and body composition in two size groups of Atlantic halibut (Hippoglossus hippoglossus) fed diets differing in protein and carbohydrate content	
B. Hatlen, B. Grisdale-Helland and S.J. Helland (Sunndalsora, Norway). Dietary L-methionine requirement of juvenile grouper <i>Epinephelus coioides</i> at a constant dietary cystine level Z. Luo, Yj. Liu (Guangzhou, PR China), Ks. Mai (Qingdao, PR China), Lx. Tian, Hj. Yang, Xy. Tan and Dh. Liu	401
(Guangzhou, Republic of China). Quantitative dietary lysine requirement of juvenile grass carp Ctenopharyngodon idella	409
S. Wang, YJ. Liu, LX. Tian, MQ. Xie, HJ. Yang, Y. Wang and GY. Liang (Guangzhou, PR China)	419
Survival, growth and feeding efficiency of <i>Litopenaeus vannamei</i> protozoea larvae fed different rations of the diatom <i>Chaetoceros muelleri</i>	41.
P. Piña, M. Nieves, L. Ramos-Brito (Sinaloa, Mexico), C.O. Chavira-Ortega (Sonora, Mexico) and D. Voltolina (Sinaloa, Mexico) Effect of dietary lipid level on growth performance, lipid deposition, hepatic lipogenesis in juvenile cobia (Rachycentron canadum) JT. Wang, YJ. Liu, LX. Tian (Guangzhou, Republic of China), KS. Mai (Qingdao, Republic of China), ZY. Du, Y. Wang	431
and HJ. Yang (Guangzhou, Republic of China).	439
Factors causing brown-colored gonads of the sea urchin Strongylocentrotus mudus in northern Honshu, Japan	
Y. Agatsuma, M. Sato and K. Taniguchi (Miyagi, Japan)	449
Physiology and Endocrinology	
Sperm characteristics and fertilization success of masculinized coho salmon (Oncorhynchus kisutch)	
J.L. Fitzpatrick (University Boulevard, Vancouver, Canada), J.C. Henry (Madeira Park, Canada), N.R. Liley (University Boulevard, Vancouver, Canada) and R.H. Devlin (Marine Drive, West Vancouver, Canada)	459
Characterisation of proteins in epidermal mucus of discus fish (Symphysodon spp.) during parental phase K. Chong, T. Sock Ying (Penang, Malaysia), J. Foo, L. Toong Jin (Singapore) and A. Chong (Penang, Malaysia)	469
Cold-induced alterations on proximate composition and fatty acid profiles of several tissues in gilthead sea bream (Sparus aurata) A. Ibarz, J. Blasco, M. Beltrán, M.A. Gallardo, J. Sánchez, R. Sala and J. Fernández-Borrás (Barcelona, Spain)	47
Spermatozoal ultrastructure of diploid and tetraploid Pacific oysters Q. Dong (Baton Rouge, Louisiana, USA), C. Huang (Baton Rouge, Louisiana, USA; Zhoushan, P.R. China) and T.R. Tiersch	404
(Baton Rouge, Louisiana, USA) Disparate effects of constant and annually-cycling daylength and water temperature on reproductive maturation of striped bass (Morone saxatilis)	481
R.W. Clark (Raleigh, NC, United States), A. Henderson-Arzapalo (Kearneysville, WV, United States) and C.V. Sullivan	
(Raleigh, NC, United States). The effect of heat and cold exposure on HSP70 expression and development of deformities during embryogenesis of Atlantic salmon (Salmo salar)	491
H. Takle, G. Baeverfjord, M. Lunde, K. Kolstad and Ø. Andersen (Ås, Norway)	515
Suppression of aggressive behaviour in juvenile Atlantic cod (Gadus morhua) by 1-tryptophan supplementation E. Höglund (Ås, Norway), M.J. Bakke (Oslo, Norway), Ø. Øverli (Ås, Norway), S. Winberg (Uppsala, Sweden) and G.E. Nilsson	
(Oslo, Norway).	525
Artificial maturation and reproduction of European silver eel: Development of oocytes during final maturation A.P. Palstra, E.G.H. Cohen, P.R.W. Niemantsverdriet, V.J.T. van Ginneken and G.E.E.J.M. van den Thillart	
(RA Leiden, The Netherlands)	53.
Book Review	
Aquatic Ecology of Rice Fields	
C.E. Nash (Machester, WA, USA).	549
Contents of Assecutives Volume 249	55